App F IX 4

Previous References 194 (Rel)

File No 167-41
Serial Nos 6, 7, 8, 9, 17, 19 & 24

Later References
Rel 167-41 / 88 34-35

GENERAL AND REVENUE SECRETARIAT

Serial Nos Secy

Part B for June 1943

SUBJECT

Estimates for A.R.P. & Rural Water Works Mysore

To The D.P.H., President City Mal of Mysore
Chief Engineer of Mysore, Secy P.W.D. & Town F.
Fo no L 345-9 dy 13-7-42
Sanctions the estimates for Rs 25,500/- & Rs 6487.

MMD 10/8/43

1196W Estimates for ARP of Vaniviles Water Works Mysore

General and Revenue Secretariat | File No | of 194 | [App F III-2

4729/L

SECRET

16 FEB 1942

L S G BRANCH

Serial No

From The Director of Public Health C 9965 & 14th Feby 42 forwarding an original estimate for Rs 25500 for original works and Rs 648 for recurring expenses

1) Subd for personal Pthaps it is the Dept Concerned that has to bear the cost, since no Special allotment has been made for ARP measures in the State A sum of Rs 50000/- only has been placed as an advance with the I S G for purchase of ARP Equipment etc The Mys Dept has been sanctioned certain Special grants for ARP measures in their Dept Re the question of bearing the cost jointly it is the Administrative Dept that has to consider the question This will be sent to the Mys Govt for necessary action

(RS 16/2)

2) Yes 16/2

Asstt Secy to I S G

4/2

3) Submitted for personal The opinion of the Mysore Govt will be called for in regard to the bearing of the cost involved on the above measures

4) Law Secy 16/2/42

Minister for Personal I S G

5) Yes 16/2/42

6) Draft letter at Flag A 17/2/42

17/2/42

SECT LAW DEPT 1439 Govt

OFFICE OF THE MINISTER FOR I S G & P H Date 16.2.1942 NOTE Cont. Sheet No 4732

WL 041 - GPE—5 000—23 10 41

A.R.P. U.O. Water Works
4729 5900

File No of 1941/42

General and Revenue Secretariat

Serial No

Submitted with a draft letter for appln

WKD 17/2 — 7) Letter (copy of the Circulars' letter now received)

Sec 17/2 — Law 17/2/42

GEN. REVENUE 1 FEB 1942

To the Dist, Engr mkt cl, Mysore
No L7531 dt 19-2-42
Requests him to obtain & forward the opinion of the Engr mkt cl on the question of meeting the expenditure
from the Dist, Engr mkt cl, Mysore
No GT 2340 dt 2-4-42
forwards a copy of the resolution of the mkt cl dt 28-2-42 stating that the Govt may be requested to meet this & other expenditure necessary in connection with these measures

Submitted for orders with reference to para 3 on the previous page of the Legislative Council

WKD 4/4 — Sec 4/4 — (to Law Secy) Law 4/4/42

SEC'T LAW DEPT 2 APR 1942 GOVT OF MYSORE

Fin Secy 4/4 — Hm 6/4/42

FINANCIAL SECTION U.O. No. F. 5923 7 APR 1942

This has first to be considered by the War Secn as a matter of general principle regarding expenditure on A.R.P. & other protective measures being allocated to local bodies & such a matter of policy has to be met by the Govt of India in the light of the principle obtaining in regard to allocation between Central & Provincial Revenues

Hm 8/4/42

Serial No

13 The file will be sent to the War Section for further action as proposed by the Financial Secretary (Law Secy) for 8/4/42

Chief Secy (MC) 4/4 Hm 9/4/42 for

9/4/42 Hand reference is invited to the Resident's letter in the marked file & the observations therein that Govt of India have stated that they are not sharing this expenditure with the local Govts as the States

4b It is requested the extent to which local bodies should contribute to any extent in regard to expenditure incurred within municipal limits, there is no information as to the practice in British India but it may have perhaps to meet this expenditure themselves.

9/4/42

Chief Sec

17 If the P.W. Water tanks have a long distance to be carried if not used the pipes should be taken back & not used for the purpose of pipes for being used

NOTE—Cont Sheet

The Mysore Dte could lend a lorry if necessary

WD 041 - GIB—55 000—23 10 41

Q 1531/W

ARP for Varahi Water Works

File No 5900/L of 194

General and Revenue Secretariat

Serial No

OFFICE OF THE MINISTER FOR LAW
APR 10 1942
No 6056

OFFICE OF THE MINISTER FOR L S G & P H
Date 6-4-1942
No 6305

OFFICE
No 8948

Law Minister I
Munshi & Sy
Diwan Mysore

Secy Rev. & P.E.

GEOY LAW DEPT
3262
17 APR 42
GOVT OF MYSORE

Flag C

Existing papers on the subject may also be traced towards — Flag P

1531 (17) 1357

W A R P for Vani Vilas Water Works S Mysore

General and Revenue Secretariat | File No 1785 of 194 | [App F III-2

Serial No 28

U O No 25/W & 20-4-42 Forwarded with the Chief Engineer in Mysore for favour of scrutinising the estimate received with the letter of the Mil Board Mysore

Immediate

Br II a dT 24/4/42

Under Secretary
For Chief Secretary Govt

OFFICE OF THE CHIEF ENGINEER OF MYSORE
REGD NO 613
DATE 23/4/42
BANGALORE

94

2) The detailed rates of the estimate are of a P.S.D. nature and are retained and subject to this the estimates are checked for Rs 25,500/- and Rs 648 respectively

M 2nd Asst 24/4 Br I 25/4/42 No 665 Estimate 25/4/42

M S 27/4/42

Chief Secy to Govt

WJC 28/4

28 The estimate may be returned to the Secretariat in K C W D with an audit remark made for the purpose

Signed 29/4

31 Land Customs Supdt

32 29/4

33 29/4

Secy to W D 30/4

39-L

P T O

GOVT OF MYSORE
28 APR 1942
P V SECRETARIAT
5472
CIVIL SECTION
Date
U.O. No. FI. 6438
29 APR 1942

NOTE—Cont. Sheet

APR 30 1942

11335

WD C41 5—GPB— 5 000—23 10 41

+ R P for Vani Vilas Water works.

1531/W

File No 5-4-1/-

of 194

General and Revenue Secretariat

Serial No

An estimate for Rs 24,500/- for A R P works for the Chamaraj Sagar and Water works has been separately approved by Government with an additional Grant of the same amount under XXX Chamaraj Sagar & Water works under a new separate minor head to be opened for A R P works Similarly in the case of the Vani Vilas Water works, Sanction to the estimate for the A R P works and the additional Grant required under the annual maintenance grants of these water works, has to be obtained These water works are under the Control of the Health Department and grants for the water works are being operated by that Department under "24 Civil works - 8 Civil works in Charge of Bureau of Sanitary Engineering" The file may perhaps be referred to the Law Secretariat for taking further action

Law secretary 4/c 4/5/40

2/5-

4/5

7 Hon 5/5/40 mkrs attempt

5/5/40

for 5/5/40

Estimates for A R P of Vani Vilas (7
5900 Water Works. Mysore

Public Works Secretariat — Misc File No — of 1941-42

Serial No

38) Sorted with a draft Go. for approval
6/5

39) Law Seg) 6/5/42

For perusal

Minister) 40) Hm 7/5/42
I S G)

41) A C 10 5 42

Hm 11/5/42

42) Attestation 11/5/42

If case 3829 43) Financial Secretary has agreed to the proposals here
13/5/42

44) [For perusal Seems to be Council matter]

CSR 14/5

Hm Seg

45) Submitted
ASI
15 5 42
JWC 16/5

Recd on 18/5/42

46) may be sent to C R, if approved,
for issue of necessary orders after obtaining formal
Circulation
18/5/42

Law Seg) 18/5/42

Note—Contn sheet

WP 010,34 [illegible] 2,000—[illegible] 241

5900/2 A. R. P. Vani Vilas Water Works - Hyd

42) This is connected matter May kindly be passed by circulation

a Chief Engineer Dewan
Chief

Cus
18-5-42
for

18 MAY 1942
10028

48) Dlll
19/5/42

49) For favour of circulation

Chief Secy
W/C

Cus
20-5-42
for

50) Submitted with a circulation memo
Ph
21/5/42

51) Sir
21/5

9

For Disposal by Circulation **No C 1004**

9 1941-42

GENERAL AND REVENUE SECRETARIAT

Council Matter

Subject

52) Proposal to sanction certain estimates for A R P measures for the Vani Vilas Water Works, Mysore City

Circulated to the Council of Ministers

By Order

20th May 1942 *Chief Secretary to Government*

7371/21.5.42 **Minister for Finance and Revenue** 53) 29/5

12110/26.5.42 **Minister for Law** 54)

6076/28.5.42 **Minister for Education** 55) 29.5.42

Minister for Local Self-Government and Public Health 56)

Law Secy asks 29/5

WD 06346—GPB—500—21 3 42

57) D 2 IV attached 1/6

A. R. P Vani Vilas Water Works, Mysore

General and Revenue Secretariat — File No 5900 / 167 — of 1941-42 — [App F III—2

Serial No

58) Sent with a D. O. N. for appl.
WRS 5/6. Lawsey) 18/6/42
memo dated 5.6.42)

59) There is unnecessary delay in putting up the D. O. N. which is very shabby the revised D. O. N. may be put up
23/6/42

23/6

60) Two copies of signed D. O. N. are put up
23/6/42 61) S. N. submitted herewith)
23/6/42

OY LAW DEPT 5362 19 12. GOVT OF MYSORE

OFFICE OF THE MINISTER FOR L S G & P H Date 19/6/1942 No 7935

OFFICE 24 JUN 1942 No 11202

NOTE—Contn Sheet

WD 04155—G1B—55 000—23 10 41

File No of 194

General and Revenue Secretariat

Serial No	

(11)

Record of Cases submitted for the Orders of His Highness the Maharaja

Subject

(61) Proposal to sanction A R P measures for the Vani Vilas Water Works, Mysore

No 993

Order

(62) SRN 26/6/'42

1)

Submitted to His Highness

63) I submit herewith for His Highness's gracious sanction a Final Note by the Minister for Local Self-Government and Public Heath on the subject of A R P measures for the Vani Vilas Water Works, Mysore

Bangalore,
24th June 1942

DEWAN

FINAL NOTE BY THE MINISTER FOR LOCAL SELF-GOVERNMENT AND PUBLIC HEALTH

13

Subject —

64) A R P measures for the Vani Vilas Water Works, Mysore

65) The Special A R P Officer has proposed certain A R P measures estimated at Rs 26,148/- for the Vani Vilas Water Works, Mysore. The Director of Public Health considers these precautionary measures are necessary and the Chief Engineer of Mysore has scrutinised the estimates It is proposed to sanction the proposal and to meet the cost thereof by Government The Dewan and the other Ministers agree and I solicit His Highness' gracious sanction to the proposal

Bangalore,
23rd June 1942

66) H B Gundappagowda

M I N I S T E R,
Local Self-Government and Public Health

General and Revenue

Secretariat

c1004

SUBJECT —

67) Proposal to sanction A.R.P measures for the Vani Vilas Water Works, Mysore

(*)

14 All urgent or confidential files returned with His Highne s orders may in the absence of instructions or ndications to the contrary be ordi narily circulated to the Ministers for perusal after the issue of orders

16 The Secretaries concerned should see that orders in the cases referred to above are issued at once and that the files are returned immediately after to the Chief Secretary for circu lation to the Ministers

17 In all other cases the files will first be circulated to the M nisters at Headquarters and then sent to the Secretariat concerned for the issue of orders

68) Circulated to Council of Ministers for perusal of His Highness orders before/after issue of orders (*Vide* Rules 14 16 and 17 of the Subsidiary Rules for the conduct of business of Council in the Mysore Government Business Rules) ( )

Chief Secretary to Government

69) Through the Secretary to Government

Law Department

70) 3800 / 29 6 42 Minister for Finance and Revenue

71) Minister for Law

72) 58 / 2742 Minister for Education

73) 170 / 32.42 Minister for Local Self Govt and Public Health

Law Secy u/c

NOTE —Contn sheet

WD 06360—GPB—500—23 3 42

74)

General and Revenue Secretariat — File No 5900 & 167 — of 1941-42 — [App F III—2

Serial No

75) ould Kind reference is invited to the draft go flagged "A" "7"

76) As the file has to be sent to G.G., the Go. could not be issued to facilitate the placing before the L.C. of a demand for an additional Grant.

77) If appd, the portion enclosed in brackets in the order portion may perhaps be omitted

K.R.B. 4/7/42

78) Memo seg may be consulted if this course could be agreed

SS

SECY LAW DEPT 230 7 JULY 1942 GOVT OF MYSORE

Law seg for G.G.'s w/e

Fin seg w/e

79) Yes Yes for

FINANCE U.D.No.F. 86 7 JUL

80) The portion in brackets may remain. The amount is large

9/7/42

9/7

Ans 10-7-42

81) Yes A.G.'s 10/7

82) Financial Secretary has agreed to draft and fair order

Pl Com 188

83) Yes J.L.J. 15/7

Ans 13/7/42 Pay 14/7

84) Issued Date 15/7

NOTE—Contn Sheet

W D 04155—GPB—55 000—23 10 41

S 900
L

ML File No 167 of 1941-42 General and Revenue Secretariat

Serial No 9

To The Dr of P Health
The Addl, Cy. Md. Cl, Mysore
The Chief Engineer
The Secy — P W D
The Controller thro' Pl Secrt
The Secy P W D

No L345-9 Dy 137-42

Sanctions the estimates and states that a demand for an addl Grant to cover both the items under "24 Civil Works & Civil Works on charge of the Bureau of Sany Engineering will be placed before the Leg at its next Session

Letter No C(02-B2 Dy 30-1-43 from the Dr of P Health, requesting sanction to the purchase of a lorry at a cost of Rs 7000/- in connection with the A.R.P works at the Vani Vilas Water Works, Mysore.

In Go No L345-9/ML 167-41-9 Dy 137-42 Govt directed that it should be examined if a lorry could be made available by the Mysore Division (P W D) before purchasing a new one as provided for in the estimate but the Director's letter is silent on this point

the Mysore Govt had been spared for the Kolar Govt for military purposes & that no more lorries could be spared. ~~could~~ for Bengal Govt

27/3 Qr The question as to whether there is any real necessity to purchase a transport lorry at the a heavy cost of Rs 7000 (as against Rs 4000 sanctioned) in connection with the A-R-P measures of the V V water works, Mysore requires further examination, in view to the fact that there is no contingency of an air raid at present. When the estimate was sanctioned some, stress was laid on the possibility of air raids by the Japanese was considered imminent and accordingly A-R-P measures were undertaken. May the Dr of P-H be definitely asked if it is necessary to purchase the A-R-P lorry at present.?

1/4/43

OFFICE OF THE MINISTER FOR L S G & P H
Date 2.4.43
No 8247

1-11-43

12.4.43

13-4-43

Purchase of an ARP Lorry for use in the Vani Vilas water ~~works~~ 5794 ✓ 7669 ~~Hydrant~~ 1C

Continuation Sheet 2nd File No / Current No 167 of 4/ Page

95) subd with a draft letter for appl=

WB 15/4

GS 16/4

97) Secy to H. Min

To The Dr of P Health

No L 10292 Dy 16-4-43

Requests him to state definitely whether there is any real necessity for the purchase of the lorry at such a heavy cost at present etc,

Sub Dy 21/4

Letter No C102-273 Dy 17-6-43 from the Dr of P Health stating that there is no necessity to purchase the lorry & that this office reference re this may be treated as cancelled

94 subd for perusal with reference to para 92 supra

WB 22/6 JM 95 Appe all the Dr of P H has stated that there is no necessity to purchase the ARP Lorry for the Vani Vilasa waterworks, ~~supply~~ so no further action is necessary the papers will be filed

Dy 94 Impl= reports & 3 typs

Laur 22/6/43

Compd at

Secy to H. Min

Mr Dr of P H

Secy to H. Min

Laur 23-6-43

Secy to H. Min

Secy to H. Min

Secy to H. Min

Continuation Sheet File No
Current No of

6896
L

General and Revenue Secretariat — ME — File No 167 of 1941/42 — [App F III—2

Serial No

From the Addl. Chf. Engr. Mysore
No Gff 2665/41-42 Dt 11-5-42
Requests that sanction of Govt may be obtained to certain estimates in connection with the protecting the water supply in Mysore city

It is stated that the estimates are pending sanction of the ME dept & requested that the Chief Engineer may be ordered to take up the works immediately

2) The source for meeting the expenditure has also to be pointed out

3) These estimates are reported to be prepared as desired by the Spl Officer for ARP (Mr. Madhava Rao)

4) The war section may also be consulted

Submitted for orders

WMS 15/5 5) Please put up the file after the receipt of the remaining connected papers - xx - This is under correspondence

Gk 15/5 6) May the PSH be authorised to proceed with the works as requested by him in the last para of his letter

NOTE—Contn Sheet

Submitted for the Hon'ble Member in charge 16/5/42

Gk 16/5

WD 04156—GI B—55 000— 3 10 41

A R P to V V (water) Works, Mysore

File No 6896/A of 194 — General and Revenue — Secretariat

Serial No MAY 1942 No 1090

OFFICE OF T ... DIRECTOR ... MAY 19 1942 No 11933

7) No estimates have been received for the works they are however said to be urgent Administrative sanction may perhaps be accorded to them

Minister) L.S.G
Minister) for Law
Dewan)
this chief secy)
& financial secy)

Hm 16/5/42

8) Hm 18/5

9) AD 16/5/42 16/5/42

CHIEF SECRETARY 16 MAY 1942 GOVT OF MYSORE

FINANCE U.O.No.F1 2037 18 MAY 19

OFFICE OF THE MINISTER FOR L S G & P H Date 20.5.1942 No 7333

Hm 19/5

Hm 20/5/42

Hm 21/5/42

Hm 21-5-42 s/f letter at noon pl

Hm 21/5/42

Hm 22/5/42

Submitted with a draft letter for approval

Hm 22/5/42

6896 & 7155
L L

General and Revenue Secretariat — File No 167 of 194/42 — [App F III-2

Serial No	
19	To The Dclt Cif mil cl, Mysore No L 11183 Dy 22 5-42 Conveys the approval of Govt to the proposal To The Dr of P Health No 11184 Dy 22 5-42 Forwards a copy of the above To The Comptroller The ARP controller No 11185 Dy 22 5-42 Forwards copies of the above. From The Dclt, Cif mil cl, Mysore No FT 2776/41-42 Dy 22-5-42. Requests sanction for taking up protective works at Belagola & Jewel Filters premises at a cost of Rs 1760 & Rs 1230 respectively - These two items of works were already included in the letter received from the Dclt, Cif mil cl, Mysore (Vide item no 102) Approval of Govt has been communicated in this office letter no 1183 /mil 167-41-19 Dy 22/5/42 No action appears to be necessary on the reference now received from
"Q"	
"P"	
P & D	

NOTE—Cont Sheet

A R P works - Mysore

6896 ∪ 7155/J

File No 167 of 1941-42 — General and Revenue Secretariat

Serial No

The ~~Secretary~~ Dept, Agr Mkt, Mysore

Invited for orders

WKS 10/6

23/5

The source to which the copra cess question has to be debited requires to be settled. Pl await receipt of the file wherein a lumpsum estimate for Rs 25,500/- has been asked for Govt in this behalf. It is to be forwarded to Govt

Govt 27/5/42

1196

GOVERNMENT OF MYSORE

Telegraphic Address

No C 99-65
Encls an estimate one report and one copy of A R P 26/41 letter
3

OFFICE OF 121
THE DIRECTOR OF PUBLIC HEALTH
I., MYSORE,
Bangalore, dated February 12, 1942
Date 14

To



The Secretary to Government,
Law Department,
Bangalore

Mu 167-41-6

Sir

Re A R P. of Vani Vilas Water Works, Mysore
Estimates for Rs 25,500/-for original works
and for Rs 648/- for recurring expenses

I have the honour to forward herewith for favour of sanction of Government the above estimates with report received from the Sanitary Engineer with a copy of letter No A R P 26/41 dated 20-11-1941 from the Special A R.P Officer addressed to the Superintendent, Vani Vilas Water Works, Mysore I solicit also orders of Government as to who is to meet the cost, either Government entirely or Government and the Mysore Municipality jointly, in the same proportion in which the expenditure on Vani Vilas Water Works is being met at present

I have the honour to be,
Sir,
Your most obedient servant,

Director of Public Health

75

Appendix F G—1]

SUBJECT

Immediate

Section ml

File No 167-61

Serial No 7

Diary No of letter replied to

No 4753-31/E2: Three copies

To The Dpty Chf ml el, Mysore

Sir,

General and Revenue Secretariat

( )

the *19*

Subject - Re ARP of Vani Vilas Water works, Mysore - Estimates for Rs 25,500/- for original works & for Rs 648/- for recurring expenses

—"—

Date of issue 19th Feb 7-42

Signed by Mr G. Ramachandra Rao

I am directed to forward by letter herewith ~~a copy of letter~~ No C99-65 Dy 14-2-42 ~~received~~ from the Dr of P. Health ~~together with its enclosures in original~~ on the above subject and to request you to be so good as to obtain & forward the opinion of the Chf ml el on the questions ~~as to their workableness~~

with reference to the scheme for the works noted above received

to be kindly returned with the reply

List of enclosures

Copied by

Examined by

WD 03695—GPB—30 000—29 1 40

~~Committee~~ expenditure in this behalf.

One favour of an ~~early~~ immediate reply is requested

Thanks etc

for
Norseng Bloss
Law Deptt

16/12/2

Ste
17/2

IMMEDIATE

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat.

No L7531/Ear Three dy Dated Bangalore, 19th February 1942.

FROM

The Secretary to the Government of His Highness the Maharaja of Mysore,
Law Department.

To

The President,
City Municipal Council, Mysore.

Sir,

Re:

Subject - A.R.P of Vani Vilas Water works, Mysore - Estimates for Rs.25,500/- for original works and for Rs.648/- for recurring expenses.

I am directed to forward herewith in original a scheme for the works noted above received with his letter No.C.99-65 dated 14th February 1942 from the Director of Public Health and to request you to be so good as to obtain and forward the opinion of the City Municipal Council on the question of meeting the expenditure in this behalf.

The favour of an immediate reply is requested.

I have the honour to be,
Sir,
Your most obedient servant,

Secretary to Government,
Law Department.

Aga/2.

To be kindly returned with the reply

No

Encl

1531/W 5900/L

OFFICE OF THE PRESIDENT
CITY MUNICIPAL COUNCIL MYSORE

Date 1st April 1942

From B S RAGHAVENDRA RAO, ESQ , M.A.(Hons)
~~M NAVANEETHAM NAIDU, Esq, B.A, B.L~~
PRESIDENT, CITY MUNICIPAL COUNCIL,
MYSORE

H 167-41-8

LAW DEPT To 4 APR 1942 GOVT OF MYSORE

MYSORE 4 APR 1942 LSG DEPT

To M. Narayana Rao, Esq ,B.A ,LL B ,
Secretary to Government, Law Department,
Bangalore.

Sir,

Adverting to your letter No L 7531/En three, dated 19th February last in the matter of A R P for Vani Vilas Water Works, I have the honour to forward herewith the resolution of Municipal Council dated 28th February 1942, stating that the Government may be requested to meet this and other expenditure necessary in connection with these measures

I have the honour to be,
Sir,
Your most obedient servant,
B S Raghavendra Rao

PRESIDENT

KSR

MYSORE CITY MUNICIPALITY

Proceedings of the Ordinary General Meeting of the Mysore City Municipal Council held in the Municipal Office on Saturday the 28th February 1942, at 4 p m

PRESENT

B S Raghavendra Rao Esq M A (Hons) *President*

2 P Sitaramiah Esq B A B L *Vice President*
3 S Linganna Esq
4 U L Ramachandra Rao Esq
5 M K Linganna Esq B A LL B
6 A Krishna Murty Esq
7 T Narasimha Iyengar Esq B A B L
8 A N Suryanarayana Rao Esq
9 Mrs B Kameswaramma B A
10 Agaram Rangiah Esq
11 B Narayanaswamy Esq B A B I
12 T Mariappa Esq B A LL B
13 M V Venkataramiah Esq
14 M S Nanjappa Esq
15 G R Rangaswamiah Esq
16 E P Nanjappa Esq
17 G Janardan Naidu Esq
18 Patnam Sreenivasasetty Esq
19 M R C Basappa Esq
20 T Venkataramaniah Esq
21 T S Alikhan Esq
22 Mahomed Khalilulla Esq M A LL B
23 S A Kareem Esq
24 F C Devaraja Urs Esq

ABSENT

25 Chowdiah Esq
26 M C Mallappa Esq
27 C S Dixit Esq B A LL B
28 N Rajagopala Iyengar Esq B A B L
29 Dr A J Ram L M & S
30 Haji Mir Amiruddin Khuraichi, Esq
31 B L Maridandiah Esq

XX XX XX

646 Letter No 7531 dated 19th February 1942 from the Secretary to Government, Law Department calling for the opinion of the Municipa Council on the questionof meeting the expenditure towards the scheme for works costing Rs 26,148/- in connection with the A R P of Vani Vilas Water Works

Resolution - The Government may be requested to meet this and other expenditure necessary in connection with these measures

XX XX XX

Sd/- B S Raghavendra Rao
President

"Extract"

B Raghavendra Rao

President

NRS

Lette No A R P 26/41 dated 20th November 1941 from the Special A R P. Officer, Bangalore, to the Superintendent, Vani Vilas Water Works, Mysore

---

Ref Your letter No 1233 dated 16th November 1941 enclosing a note on A R.P. for the Mysore City Water Works

--

I have the honour to return the note enclosed to the above, noting my suggestions on the margin, against appropriate sections Further action may kindly be taken to get the sanction of Government to the scheme, through the Head of your Department

A copy of the scheme as finally approved may kindly be sent to me for reference and any information of interest regarding it intimated also

--

"COPY"

for Director of Public Health

Scheme for A R P for Vani Vilas Water Works, Mysore

(The following scheme has been prepared on summerising the notes of the A R P Officer, submitted to the Sanitary Engineer, Bangalore, vide this office No 839 dated 5th November 1941)

Line Staff - (a) Two portable Telephones will be necessary, under the pipe line staff at Belagola, there are seven men including Channel Watchman also Our requirements would be, one man on watch duty at 'Y' cistern For this, one of the shift helpers will be deputed

Out of the other five available hands, three watch shifts cannot be arranged One additional hand is proposed to be given and formed into three gangs of two each The morning gang will petrol the entire length of the line and report about condition moving on the line with a portable telephone The other two gangs will be on duty at Pump house, Belagola, and immediately an air raid caution signal is given, will proceed on bicycles on the line through the entire length and shall give line clear for starting pumps at Belagola In case the line is faulty, they will intimate both Belagola and filters for arranging to put the line through, with special repair gang and also give information to Belagola which line is faulty, so that service may be started through the other line, and suitable valve operations will be arranged for by the Chief Operator, Belagola and Chief Operator, Filters (N B - Whenever the telephone line is disconnected, information will be carried on bicycles to Belagola or filters whichever is nearer)

(b) Filters - High level reservoir and pumping mains from Filters to Reservoir will be watched by arrangement of shift of one watchman for first shift

and

(32

and two for second and third shifts For communication, the reservoir being within half a mile, a cycle will be provided to serve all shifts for carrying messages speedily

The filter house, low level reservoir and settling tanks and meter house will be under the watch of the shift staff at Jewell Filters, Mysore

(c) Transmission & Distribution lines in the City

The City A R P Organisation may be requested to kindly communicate filters by phone, or by any other speedy device any case of damages to distribution lines so that the repair gang may be immediately deputed for putting the line through The atcual watch of the distribution lines all over the City would very expensive But watch of transmission mains feeding several monallas will be arranged to be looked after by shifts For this work, the section fitters will have to be stationed at Filters by providing accommodation, and immediately after clear is declared subsequent to an Air Raid Caution, they will proceed on bicycles on the trunk lines in their mohallas and report condition of the pipe line for further action

Machinery & Spares -

(a) All running machinery units both at Belagola and at Filters are proposed to be protected by 'V' or 'U' shaped R C C or masonry screens as advised by the A R P Officer

(b) Spares - At Belagola, there are spare coils for all the motors with spare bearings, but the pumps have no spares and these are indented for Even these spares have not yet arrived The availability of spare pumps and motors have to be investigated as

the

33

the keeping of complete stand-bye units in a place removed from the pump house, and protection is very necessary against any possible damage to pump shells or stators of the motors

At filters, there are spare coils and accessories for replacements on motors No 2 and 3, No 1 being wound up recently and all coils used up There are spares for all pumps There are no spare stand-bye units for ready replacements in case of any damage to shells of pumps or stators

In view of the difficulty of obtaining spare units, the question of dismantling and storing one of the pumping sets in a protected place may be considered, but, if this is done, the supply to the City will have to be heavily rationed

(c) Pipe line for Belagola & Filters - The following number of pipes and specials are available on hand

16" pipes	No	11
16" collars		8
14" pipes		7
14" collars		5

It is necessary that some more specials are stocked Two 'Y' pipe branches are necessary to be kept on hand for replacement Three 16" bends are also necessary since there is only one bend on hand There is sufficient stock of pig lead and yarn to attend to pipe line troubles One 16" and 14" valve with tail pieces will have to be kept in stock

(d) Filters - The rising main to High Level reservoir is 14" and the stock on hand will be enough for Belagola main Six 14" S & S pipes and six 14" collars will have to be got

(e) Distribution trunk mains - The following pipes

(34

pipes and specials will have to be kept in stock -

		12"	10"	9"	8"	6"	5"	4"	3"	2½"
C I	Pipes	4	5	-	6	5	-	-	-	6
C I	collars	4	5	-	5	4	-	2	3	3
C I	bends	2	2	-	-	-	-	-	-	3

III Conservation of available water and the most economical & urgent use of the available supply -

The nature of interruption of water supply service may be a break-down of any of the following Viz -

1 Pumping plant at Belagola
2 The transmission line from Belagola to Jewell filters
3 The Jewell filter pumping plant
4 Transmission line from filters to High level reservoir
5 Damage to high level reservoir, and
6 Damage to low level reservoir

Any break down of the machinery and transmission mains will necessitate a very strict rationing and the available water in the reservoirs which will normally be maintained at full supply level will have to be supplied only for a few hours in the City for domestic purposes and for very emergent fire fighting -- During such occasions, the control valves will be immediately operated by the filter staff deputed for the purpose under the orders and control by the Chief Operator, filters It would however be very necessary to tap the local sources of water supply for small fire fighting, and reserve as much of the filtered water supply for domestic uses as a shut-down of even 24 hours duration may have to be faced

IV Warden Establishment at Belagola - The Chief Operator, Belagola will be the controlling warden officer, for Belagola station, Belagola pumping station Colony and pipe line from Belagola pumping Station to Jewell Filters, Mysore, and he will be given a safe place of refuge for the staff The communica-

tion

35

communication arrangements will be made with the station shift staff provided with cicycles for long distances and messenger service for short distances

Warden establishment at Jewell Filters -

This will be on the same basis as above

V The messenger service at Belagola and Filters will be covered by the organisation for ordinary watch of machinery plant and lines and the warden organisation

VI First Aid- Organisation and equipment -

The Operators on shift at Belagola and filters will be trained for first aid and service equipment and a stretcher will be kept in a safe place in the premises of each station and immediately first aid service is required, it will be rendered, the person put on stretcher and conveyed to a safe place before being sent to treatment to the hospital

VII Black-out and emergency lights - Black-outs at Belagola and filters can be arranged for by switching off the central controls of lighting only, with out interrupting the supply of power to machinery During black-outs, the station lights may be provided with vertical hoods to a sufficient length to prevent dispersion of light rays

Emergency lights will be provided to handle the station during current shut-downs and for salvage purposes in areas where electric lights are not available For this purpose, two petromax lights and two electric battery torches will be provided in the pumphouse, both at Belagola and at Filters

VIII Special watch during Air Raids with salvage and repair equipment for dealing with break-downs -

There will be two gangs specially meant for

dealing

(36

dealing with heavy repairs and break-downs such as burst of pipe line or damages to machinery, one gang at Belagola and the other at Jewell filters The gang at Belagola will be recruited from the available strength of thirteen hands at the station and it will not be difficult to mobilise them since they are living near the station There will similarly be a gang or 12 men at Filters drawn out of the City staff Since the City staff are not living in a concentrated area, temporary shelters are proposed for them at Jewell filters, so that their services can be readily made available at an emergency -- In addition to the gangs, a transport lorry with all tools and equipment necessary for handling both erection, and repair jobs and salvage work will be stationed at Filters, and will proceed to the required spot with the least possible delay

Sd/- K S Venkataramanan,
Superintendent,
Jani Vilas Water Works,
Mysore

"Copy"

MHRao 31/1

SANITARY ENGINEER

(37)

[R S App F VI G 2]

SUBJECT

10 Copies

Diary No of letter replied to

Sec ml
File_No
Serial No

General and revenue Secretariat

( )

the *192*

Proceedings of the Government of His Highness the Maharaja of Mysore

Read—

Letter no C 99-65 Dy 14-2-42 from the Dr of P Health forwarding for sanction estimates for Rs 25,800 for original works and Rs 648 for recurring expenses in connection with the A R P Scheme for Vani Vilas Water Works Mysore

2) Letter no GT 2340 Dy 2-4-42 from the Addl, City Mcl, Mysore

Date of issue

Signed by

May this be

i Printed ?

ii treated as a standing order ?

iii published in the Gazette English Part ?

iv translated ?

v placed at the disposal of the press ?

vi published in the Gazette Kannada Part ?

~~Order Thereon—No~~

on the subject

3) Ltr no 665 dt 25-4-42 from the Chief Engineer returning the estimates duly scrutinised

Two Orders no

The estimates are for Rs 25,572 (on file) (Rs. 628 (recurring)

Sanctioned. It should be enquired if in lorry (Signed) before purchasing a new one as provided for in the Estimate

A demand/note for an addl grant to/this sheets Cover to this

could be made available by the Payng Officer under "24 Civil works - 8. Civil works in charge of Buildings & Roads Engrs

to be placed before the L C at its next session

The horses purchased should be taken to stock & if not used, should be the property of Govt for being used elsewhere

Hon'ble 2/5/42

for secy to Govt

WB 6/5 Law Deptt

To the Dir of Health with the estimates -

List of enclosure

The Addl Engr Mech, Engrs ✓

The Chief Engineer ✓

The secy P W D ✓

The Comptroller thro Rl Sectt ✓

Copy to war section ✓

6/5

Copied by

Examined by

WD 0326—GPB—12 500—26 5 27

ME 167-41-17 6896/L.L.39

OFFICE OF THE PRESIDENT
CITY MUNICIPAL COUNCIL MYSORE

S T. No 2665/Letter

Dated 11th May 1942

SECTL
13 MAY 1942
L S G BRAI

From B S RAGHAVENDRA RAO, ESQ M A (Hons)
~~M NAVANEETHAM NAIDU Esq., B.A., B.L.~~
PRESIDENT CITY MUNICIPAL COUNCIL
MYSORE

SECY. LAW DEPT
13 MAY 1942
GOVT OF MYSORE

H V Narayana Rao, Esq ,B A ,LL B ,
Secretary to Government, Law Department,
Bangalore

Sir,

Mr Madhava Rao the Special Officer for A R P desired that certain urgent works should be taken up in connection with protecting the Water Supply system in Mysore City and I have the honour to note below in a tabular form the works proposed to be taken up and their estimated amount

1	Constructing protective walls alround High Level reservoir	Rs 3,645/-
2	Protecting the machinery at Belagola Pumping Station and the Jewell Filters	Rs 1,760/- and Rs 1,230 respy
3	Removing one of the pumps and installing the same 100 feet away	Rs 9,450/-

In addition to the above an estimate for Rs 560/- has been prepared for removing and redistributing the existing hydrants in all parts of the City as a measure of fire fighting This has been prepared in accordance with the instructions of the Minister for Law

These matters are very urgent and pending sanction of these by the Council and Government and orders as to how the charges are to be met, the Sanitary Engineer may kindly be requested to take up forthwith

I have the honour to be,
Sir,
Your most obedient servant,

B S Raghavendra Rao
PRESIDENT
11 5 1942

KSR

(4)

Appendix F G—1]

SUBJECT

Section ML
File No 167-41
Serial No 19

Diary No of letter replied to

No L 11183

General and Revenue Secretariat

( )

the *19*

To The Dclt, Agl ml cl, Mysore

Sir,

Date of issue 22/5/42

Signed by W. S. Rao

with reference to your letter no GS 2665/41-42 dy 11-5-42 requesting sanction of Govt to ~~the estimates, and the letter in connection with protecting the Water Supply system in the Mysore Coff~~ authorising the Survey Engineer to proceed with these works, I am directed to convey the approval of Govt to the ~~estimates~~ proposal in question.

A Copy of your letter has been sent to the

List of enclosures

Copied by

Examined by

41)

Dr of Public Health for taking
necessary further action as requested
therein.

Thanveste
Asst
Dor secy to Govr
WHB 22/5 Law Deptt

Memo no L 11184 Dy 22/5/42

Copy of the above is forwarded
with Compliments to the Dr
of P Health for information, togethe
with a copy of letter no GT 2665/41-42
Dy 11-5-42 received from
the ~~Dr of P Health~~ Presd City Med Officer

By order
Asst
Dor secy to Govr
WHB Law Deptt
22/5

Memo no L 11185 Dy 22/5/42

Copies of the above are forwarded
to C to the Comptroller for information
& A R P Controller B-O

Asst
Dor secy to Govr
WHB Law Deptt
22/5

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat,

No L 11183 / ml 167-41-19

Dated Bangalore 22nd May 1942.

FROM

The Secretary to the Government of His Highness the Maharaja of Mysore,

Law Department.

To

The President,
City Municipal Council,
Mysore

Sir,

With reference to your letter No.U.T. 2665/41-42 dated 11th May 1942 stating that, at the instance of the A.R.P Controller, certain urgent works are proposed to be taken up for the protection of the water supply system in Mysore city, and that estimates totalling about Rs.16,645/- have been framed requesting sanction of Govt and authorising the Sanitary Engineer to proceed with these works pending sanction thereto by the Municipal Council and the Government and the allotment of funds therefor, I am directed to convey the approval of Government to the proposal in question.

A copy of your letter has been sent to the Director of Public Health for taking necessary further action as requested therein

I have the honour to be
Sir,
Your most obedient servant,

for Secretary to Government,
Law Department.

BHK/7

(42)

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat,

No L 11184, Dated Bangalore, 22 May 1942.

FROM

The Secretary to the Government of His Highness the Maharaja of Mysore

Law Department.

To

The President,
City Municipal Council,
Mysore

Sir,

With reference to your letter No G.T. 2665/41-42 dated 11th May 1942 stating that, at the instance of the A.R.P. Controller, certain urgent works are proposed to be taken up for the protection of the water supply system in Mysore city, and that estimates totalling about Rs 16,645/- have been framed and requesting sanction of Govt authorising the Sanitary Engineer to proceed with these works pending sanction thereto by the Municipal Council and the Government and the allotment of funds therefor, I am directed to convey the approval of Government to the proposal in question

A copy of your letter has been sent to the Director of Public Health for taking necessary further action as requested therein

I have the honour to be
Sir,
Your most obedient servant,

Sd/- C Narayanaswami Naidu,
Secretary to Government,
Law Department

BHK/7

Memo No L 11184

Bangalore, dated, 22 May 1942

Copy of the above is forwarded with compliments to the Director of Public Health for information, together with a copy of letter No.G T 2665/41-42 dated 11-5-42 received from the President, City Municipal Council, Mysore

By Order,
Sd/- C Narayanaswami Naidu,
Secretary to Government,
Law Department

P.T.O

71537/L

OFFICE OF THE PRESIDENT
CITY MUNICIPAL COUNCIL, MYSORE.

9 T No 2776/41-42
Encls 2

Dated 22nd May, 42 19

Mc 167-41-24 4J

From B S RAGHAVENDRA RAO, ESQ , M A ,(Hons)
~~M. NAVANEETHAM NAIDU, Esq , B.A., B.L.~~
PRESIDENT CITY MUNICIPAL COUNCIL
MYSORE.

GEN & REV SECT
25 MAY 1942
L S G L

To

C NARAYANASWAMY NAIDU, ESQ , B A ,B L ,
Secretary to Government,
Law Department, Bangalore

SECY TO GOVT OF MYSORE
25 MAY 1942
LAW

Sir,

Re - Protective works at Belagola and Jewel Filters premises in connection with A R P measures

======

I have the honour to state that the Sanitary Engineer sent two estimates amounting to Rs 1,760/- and Rs 1,230/- for the above works, for providing funds thereto, and these estimates were as usual placed before the Managing Committee meeting held on 15th May, 1942 for obtaining necessary sanction On this, the Managing Committee has resolved as under

"The Council has already passed a Resolution regarding this, vide No 646 dated 28-2-1942" (copy enclosed)

A copy of the resolution of the Council referred to by the Managing Committee is appended herewith, for the information of Government The measures referred to in the Resolution are the ones referred to in the consolidated estimate for Rs 26,148/- sent with the letter of the Law Secretary to Government referred to therein, for the opinion of the Municipal Council

2 The Superintendent, Vani Vilasa Water Works, who was also present at the meeting on invitation stated that the above two items viz , the estimate for Rs 1,760/- and Rs 1,230/- are included in the lumpsum estimate for Rs 25,500/- these items being included in item 3 for which a provision of Rs 4,500/- is made therein

45

4

3 In this connection, kind reference is to this office letter No GT 2665 dated 11-5-1942 quent phone message dated 15th instant noted belo ready reference

"Please see letter No G T 2665 dated 11-5-194[illegible] Sanitary Engineer states, prices are fluctuating an works urgent Sanitary Engineer requests permission to start the works pending sanction Pequest immedi. orders "

4 These works are urgently necessary for the protect of the Mysore City Water Supply and I therefore request that early orders of Government be passed regarding the taki up of the same and the source for meeting the expenditure

I have the honour to be,

Sir,

Your most obedient servant,

B Ramachandra Rao

PRESIDENT 22.1-

SNR

Proceedings of the Managing Committee Meeting held on 15th May, 1942

Present - B S Raghavendra Rao, Esq , M A ,(Hons)

President

--

Subject No 255 Letter No 1206 dated 11/14-4-1942 from the Sanitary Engineer, forwarding for sanction two estimates towards the cost of A R P works at Belagola at a cost of Rs 1,760/- and of Jewell Filters at a cost of Rs 1230/-

Resolution - The Council has already passed a Resolution re this vide No 646 dated 28-2-1942

(Sd) B S Raghavendra Rao,
president

" Copy "

B S Raghavendra Rao

PRESIDENT

snr

TO overseas

~~PRESIDENT~~ 22 J

SNR

MYSORE CITY MUNICIPALITY

Proceedings of the Ordinary General Meeting of the Mysore City Municipal Council held in the Municipal Office on Saturday the 28th February 1942, at 4 p m

PRESENT

B S Raghavendra Rao Esq M A (Hons) *President*

2 P Sitaramiah Esq B A B L *Vice President*
3 S Linganna Esq
4 U L Ramachandra Rao Esq
5 M K Linganna Esq B A LL B
6 A Krishna Murty Esq
7 T Narasimha Iyengar Esq B A B L
8 A N Suryanarayana Rao Esq
9 Mrs B Kameswaramma B A
10 Agaram Rangiah Esq
11 B Narayanaswamy Esq B A B I
12 T Mariappa Esq B A LL B
13 M V Venkataramiah Esq
14 M S Nanjappa Esq
15 G R Rangaswamiah Esq
16 E P Nanjappa Esq
17 G Janardan Naidu Esq
18 Patnam Sreenivasasetty Esq
19 M R C Basappa Esq
20 T Venkataramamiah Esq
21 T S Alikhan Esq
22 Mahomed Khalilulla Esq M A LL B
23 S A Kareem Esq
24 F C Devaraja Urs Esq

ABSENT

25 Chowdiah Esq
26 M C Mallappa Esq
27 C S Dixit Esq B A LL B
28 N Rajagopala Iyengar Esq B A B L
29 Dr A J Ram L M & S
30 Haji Mir Amiruddin Khuraichi, Esq
31 B L Maridandiah Esq

======

646 Letter No 7531 dated 19th February 1942 from the Secretary, to Government, Law Department calling for the opinion of the Municipal Council on the question of meeting the expenditure towards the scheme for works costing Rs 26,148/- in connection with the A R P of Vani Vilasa Water Works

Resolution - The Government may be requested to meet this and other expenditure necessary in connection with these measures

(Sd)B S Raghavendra Rao
President

" Copy "
B S Raghavendra Rao

snr PRESIDENT

PROCEEDINGS OF THE GOVERNMENT OF HIS HIGHNESS
THE MAHARAJA OF MYSORE

Read —

Letter No.C.99-65 dated 14th February 1942 from the Director of Public Health, forwarding for sanction estimates for Rs.25,500/ for original works and for Rs.648/- for recurring expenses in connection with the A.R.P. measures of the Vani Vilas Water Works, Mysore City.

2. Correspondence ending with letter No.G.T.2340 dated 2nd April 1942 from the President City Municipal Council, Mysore on the subject.

3. U.O.No.665 dated 25th April 1942, from the Chief Engineer of Mysore, returning the estimates duly scrutinised.

Order No. L 1085-9/Rl67-41-9

Dated, Bangalore, 8th May 1942.

The two estimates for Rs.25,500/- (original) and Rs.648/- (recurring) are sanctioned. It should be examined if a lorry could be made available by the Mysore Division (Public Works Department) before purchasing a new one as provided for in the estimate. The pipes purchased should be taken to stock and if not used, should be the property of Government for being used elsewhere.

A demand for an additional grant to cover both the items under "24 Civil Works 8 Civil Works in charge of the Bureau of Sanitary Engineering" will be placed before the Legislative Council at its next session.

for Secretary to Government,
Law Department.

To

The Director of Public Health in Mysore with the estimates,
The President, City Municipal Council, Mysore,
The Chief Engineer of Mysore,
The Secretary to Government, Public Works Department,
The Comptroller to Government of Mysore,
through the Financial Secretariat.

MG 167-41-9.

Proceedings of the Government of H H the Maharaja of Mysore

Read -

Letter No C 99-65 dated 14-2-1942 from the Director of Public Health, forwarding for sanction estimates for Rs 25,500/- for original works and for Rs 648/- for recurring expenses in connection with the A R P measures of the Vani Vilas Water Works, Mysore City

2 Correspondence ending with letter No C T 2340 dated 2-4-1942 from the Presider City Municipal Council, Mysore on the subj

3 U O No 665 dated 25-4-1942, from th Chief Engineer of Mysore, returning the estimates duly scrutinised

---

ORDER NO L ~~1084-5-9~~ L 345-9

Dated, Bangalore, the ~~13 Mar 1942.~~ 13-7-42

13 7 42
Sd/- By Mr G.R Rao

The two estimates for Rs 25,500/- (original) and Rs 648/- (recurring) are sanctioned It should be examined if a lorry could be made available by the Mysore Division (P W D) before purchasing a new one as provided for in the estimate T h e pipes purchased should be taken to stock and if not used, should be the property of Govt for being used elsewhere

A demand for an additional grant to cover both the items under "24 Civil Works 8 Civil Works in charge of the Bureau of Sanitary Engineering" will be placed before the Legislative Council at its next session.

DRAFT) 13/7/42
Secy to Govt,
Law Deptt

The Director of Public Health in Mysore with the estimates
" Pdt City Ml Cl Mysore
" Chief Engineer of Mysore
" Secy, P W D
" Comptroller to Government of Mysore thro' Fl Sectt

Copy to War Section

K M.R.1/-

PROCEEDINGS OF THE GOVERNMENT OF HIS HIGHNESS
THE MAHARAJA OF MYSORE

Read —

Letter No.C.99-65 dated the 14th February 1942, from the Director of Public Health, forwarding for sanction estimates for Rs.25,500 for original works and for Rs.648 for recurring expenses in connection with the A.R.P. measures of the Vani Vilas Water Works, Mysore City.

2. Correspondence ending wit letter No.C.T.2340 dated the 2nd April 1942, from the President, City Municipal Council, Mysore on the subject.

3. U.O.No.665 dated the 25th April 1942, from the Chief Engineer of Mysore, returning the estimates duly scrutinised.

***

Order No.L. 345-9/Mel 167-41-9

Dated, Bangalore, the 13th July 1942.

The two estimates for Rs.25,500 (original) and Rs.648 (recurring) are sanctioned. It should be examined if a lorry could be made available by the Mysore Division (P.W.D.) before purchasing a new one as provided for in the estimate. The pipes purchased should be taken to stock and if not used, should be the property of Government for being used elsewhere.

A demand for an additional grant to cover both the items under "24th Civil Works & Civil Works in charge of the Bureau of Sanitary Engineering" will be placed before the Legislative Council at its next session

***

for Secretary to Government,
Law Department.

To The Director of Public Health in Mysore, with the estimates.

4656/2-51

No C 102-B2+
Enc one

OFFICE OF THE
DIRECTOR OF PUBLIC HEALTH
IN MYSORE

Bangalore, dated 30th January 194 3

To

The Secretary to Government,
Law Department, Bangalore

ml167-41-

SIR,

Subject - A R P Works at Jani Vilas Water Works, Mysore
Purchase of a two-ton lorry -

I have the honor to state that the Sanitary Engineer in his letter No 993 dated 21st January 1943 reports that there is a provision of Rs 4000/- in the estimate of Rs 25,500/- sanctioned in G O No L 345-9/M1 167-41-9 dated 13th July 1942 -- for the above work But the cost of the truck which would be releas by the Government of India for A R P purposes would be about Rs 7,000/-, as per letter No ARP 370/42-43 dated 23rd December 1942 of the A R P Officer, Bangalore city to the Sanitary Engineer Copies of the Sanitary Engineer's letter and the letter of the A R P Officer, Bangalore City are enclosed herewith for the information of Government

"X"

I request you to be so good as to obtain and convey sanction of Government to the purchase of a truck at a cost of about Rs 7,000/- the excess of Rs 3,000/- over the original provision being met from savings under other heads in the estimate

I have the honour to be,
Sir,
Your most obedient servant,

Director of Public Health

JBR

Director of Public Health

JBR

Letter No.993 dated 21st January 1943 from the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, to the Director of Public Health in Mysore, Bangalore

---

Subject - A R P Works at Jani Vilas Water Works, Mysore

—

I have the honour to state that in the sanctioned estimate for Rs 25,500/- for the above there is a provision of Rs 4,000/- for the purchase of a 2 ton lorry The Secretary, Stores Purchase Committee, who was addressed in the matter of supply of this lorry replied in his letter No 17795 dated 5th December 1942 that no lorries were available The A R P officer, Bangalore City was next addressed in the matter and a copy of his reply received in this connection is enclosed herein for information As could be seen from his letter one of the trucks of the Government of India would cost Rs 7,000/- and a body would have to be built thereon, at extra cost As such there will be Rs 3,500/- excess above the estimated provision and the cost can be met from other heads I request your kind permission to place orders with the A R P Officer, for one of these trucks to be obtained from the Government of India The Superintendent, Jani Vilas Water Works, Mysore, is requested separately to submit a revised estimate including all the deviations

---

Letter No A R P 370/42-43 dated 23rd December 1942 from the A R P Officer, Bangalore City to the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore

—

With reference to your letter No 2276 dated 16th December 1942 regarding the lorry you require, I have the honour to state that we have not got any lorry with us to spare It may not be possible, to get any lorries but I am on the look out for the same I shall tr to procure one for you immediately after it is available

In the meantime, we have just received a communication from the Government of India that some new trucks would be released for the A R P purposes If you have no objection, I shall include one new truck for you The cost may be about Rs 7,000/- Please let me know if this would suit you - o -

"Copy"

for Sanitary Engineer

Director of Public Health

JBR

ppendix F G—1]

UBJECT

Immediate

Section MR

File No 167-41

Serial No

Diary No of letter replied to

No L 3348

General and Revenue Secretariat

( )

To The Director of Health

the *194*

Dear Sir,

Date of issue 19/2/43

Signed by M N G Rao

with reference to your letter No C102-B2 dt 30-1-43 re the purchase of a Lorry at a cost of Rs 7000/- for use in connection with the ARP works at the Vani Vilas Water Works, Mysore, I am desired to invite reference to his No L 345-9/MR167-41-9 dt 13-7-42 and to state that, while sanctioning the estimates for Rs 25,500 (Original) & Rs 648 (recurring), Govt directed that

List of enclosures

Codied by

Examined by

WD 04161—GPB—60 000—24 10 41

it should be examined if a
lorry could be made available
by the Mysore Division (P W D)
before purchasing a new lorry
as provided for in the estimate
and that ~~your letter is silent on~~ no information has been furnished
that point by you

I am therefore to request
you to kindly ~~[illegible]~~
~~whether the~~ a lorry is now available
furnish information on the above points
~~or other points on the above~~ from the
~~Dee~~ A reply may be sent kindly
by return of Post.

I have etc

for Secy to Govt
Law Dept

Yours Sincerely
19.2

for
Secy to Govt
Law Dept

To The Dir of P Health
19.2 (by name)

C F No 45]

GOVERNMENT OF MYSORE

Tele gram / phone

No C 102-190 / Encls 2

OFFICE OF THE DIRECTOR OF PUBLIC HEALTH IN MYSORE, BANGALORE.

Date 24th March 1943

To

The Secretary to Government,
Law Department,
Bangalore

Sir,

Purchase of a Lorry for Rs 7000/- for use in the Jani Vilas Water Works, Mysore

With reference to your D O letter No L 8348/41 dated 19th February 1943 on the above subject, I have the honor to state that as per G O No L 345-9/M1 167-41-9 dated 13th July 1942, the Executive Engineer, Mysore Division, was addressed by the Sanitary Engineer in the matter The Executive Engineer in his letter dated 2nd October 1942 intimated that all the lorries that could be spared from the Mysore Division had been spared for the Kolar Division and for Military purposes and that no more lorries could be spared Other arrangements had therefore to be made under the circumstances, referred to in this office letter of 1st February 1943 A copy of letter of the Executive Engineer, Mysore Division, referred to above and a copy of Sanitary Engineer's letter of 16-3-43 in the matter are enclosed

I therefore, request you to be so good as to obtain and convey sanction of Government to the purchase of a truck at a cost of about Rs 7000/- the excess of Rs 3000/- over the original provision being met from savings under other heads in the estimate of Rs 25,500 sanctioned in G O No L 345-9/M1 167-41-9 dated 13-7-1942

I have the honour to be,
Sir,
Your most obedient servant,

Director of Public Health

JBR

D O letter No 54 dated 31/2nd October 1942 from the Executive Engineer, Mysore Division, Mysore, to the Superintendent, Vani Vilas Water Works, Mysore

---

With reference to your D O letter No 743 dated the 29th September 1942, requesting to intimate whether a two or three ton petrol lorry could be made available for sale from this Division, I write to inform you that all the lorries that could be spared from this Division have been spared for Kolar Division and for Military purposes, and I regret that no more lorries can be spared now

---

Letter No 1268 dated 16th March 1943 from the Sanitary Engineer, Bangalore, to the Director of Public Health in Mysore Bangalore

===

Re Purchase of a Lorry for Rs 7,000/- for use in the Vani Vilas Water Works, Mysore

With reference to your letter No C 102-151 dated 1st March 1943 forwarding copy of D O letter No L 8348 dated 19th February 1943 received from the Law Secretary to Government regarding the above and requesting me to furnish the information, I have the honour to state that as per the Government Order referred to, the Executive Engineer, Mysore Division, was addressed in the matter and a copy of his reply received in this connection is herein enclosed for your information Under the circumstances stated in the Executive Engineer's letter, other arrangements to purchase the lorry were made as stated in this office letter No 993 dated 21-1-1943 I, therefore, request your kind sanction for the purchase of the above lorry from the A R P Officer at an early date

Copies"

O Gourley

Director of Public Health

TBR

ML 167-41-

L10292/ 16/4 5

To The Dr of P Health

Sir, With reference to the correspondence ending with your letter no C102-190 Dt 26th March 1943 re the purchase of a lorry for Rs 7000/- for use in the Vani Vilas Water works, Mysore, I am directed to request you to be so good as to state definitely whether there is any real necessity for the purchase of such a lorry at a heavy cost, in view of the fact that there is no contingency of an ~~increased~~ demand at present, having regard to the changed conditions as compared with what they were in pre war days.

I have etc

for Secy to Govt

WKC 15/4 Ldr Dept

GOVERNMENT OF MYSORE

7669/54

OFFICE OF

THE DIRECTOR OF PUBLIC HEALTH

IN MYSORE,

BANGALORE.

No C 102-273
Encls





Date 17th June 1943

To

The Secretary to Government,

Law Department,

Bangalore

Sir

Re Purchase of an A R P Lorry-ton Rs 7000/- ton use in the Vani Vilas Water Works, Mysore

With reference to your letter No - 10292/41 167-41 dated 16th April 1943 calling for definite information as to the real necessity for the purchase of the lorry at such a heavy cost in view of the changed condition as compared to what they were in July or August 1942, I have the honor to state that the Sanitary Engineer in his letter No 1693 dated 12th June 1943 opines that there is no necessity for the purchase. This office proposal for the purchase may, under the circumstances, be treated as cancelled

I have the honour to be,

Sir,

Your most obedient servant,

Director of Public Health

JBR